

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 22-Sep-2009

Revision Date 06-Dec-2024

Revision Number 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

| 1.1. Product identifier | |
|---|---|
| Product Description: Cat No. : | CyclohexyImagnesium chloride, 1.3M solution in THF/toluene 377340000; 377341000; 377348000 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available |
| 1.3. Details of the supplier of the sa | fety data sheet |
| Company | UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe: 001-703-527-3887 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Health hazards

Aspiration Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Carcinogenicity Category 2 (H225)

Category 1 (H304) Category 1 B (H314) Category 1 (H318) Category 2 (H351)

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H361d Suspected of damaging the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- EUH014 Reacts violently with water

EUH019 - May form explosive peroxides

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Reacts violently with water

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and |
|-----------|--------|-------|----------|--|
|-----------|--------|-------|----------|--|

Category 2 (H361d) Category 3 (H335) (H336) Category 2 (H373)

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

| | | | | UK SI 2020/1567 |
|------------------------------|----------|-------------------|-------|--|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | 25-50 | Flam. Liq. 2 (H225) Acute Tox. 4 (H302) |
| | | | | Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT SE 3 (H336) |
| | | | | Carc. 2 (H351) (EUH019) |
| Toluene | 108-88-3 | 203-625-9 | 25-50 | Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Repr. 2 (H361d) STOT RE 2 (H373) |
| Magnesium, chlorocyclohexyl- | 931-51-1 | EEC No. 213-237-1 | 20 | Skin Corr. 1B (H314) Eye Dam. 1 (H318) EUH014 |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-----------------|--|----------|-----------------|
| Tetrahydrofuran | Acute Tox. 4 :: C>82.5% | - | - |
| | Eye Irrit. 2 :: C>=25% | | |
| | STOT SE 3 :: C>=25% | | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|------------------------------------|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward. |
| Inhalation | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. Risk of serious damage to the lungs (by aspiration). |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| 4.2. Most important symptoms and | effects, both acute and delayed |
| | Causes burns by all exposure routes. Product is a corrosive material. Use of gastric |

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons Water. Foam.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Chlorine, Magnesium oxides, Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Flammables area. Keep under nitrogen. Keep away from heat, sparks and flame. Keep from any possible contact with water. Shelf life 12 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-----------------|------------------------------------|-------------------------------------|------------------------------------|
| Tetrahydrofuran | STEL: 100 ppm 15 min | TWA: 50 ppm (8h) | TWA: 50 ppm 8 hr. |
| | STEL: 300 mg/m ³ 15 min | TWA: 150 mg/m ³ (8h) | TWA: 150 mg/m ³ 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 100 ppm 15 min |
| | TWA: 150 mg/m ³ 8 hr | STEL: 300 mg/m ³ (15min) | STEL: 300 mg/m ³ 15 min |
| | Skin | Skin | Skin |
| Toluene | STEL: 100 ppm 15 min | TWA: 50 ppm (8hr) | TWA: 192 mg/m ³ 8 hr. |
| | STEL: 384 mg/m ³ 15 min | TWA: 192 mg/m ³ (8hr) | TWA: 50 ppm 8 hr. |
| | TWA: 50 ppm 8 hr | STEL: 100 ppm (15min) | STEL: 384 mg/m ³ 15 min |
| | TWA: 191 mg/m ³ 8 hr | STEL: 384 mg/m ³ (15min) | STEL: 100 ppm 15 min |
| | Skin | Skin | Skin |

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

 Component
 Acute effects local (Dermal)
 Acute effects systemic (Dermal)
 Chronic effects local (Dermal)
 Chronic effects local systemic (Dermal)

 Tetrahydrofuran
 DNEL = 12.6mg/kg

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

| 109-99-9 (25-50) | | bw/day |
|--------------------|--|-----------------|
| Toluene | | DNEL = 384mg/kg |
| 108-88-3 (25-50) | | bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|-------------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Tetrahydrofuran 109-99-9 (25-50) | DNEL = 300mg/m ³ | DNEL = 96mg/m ³ | DNEL = 150mg/m ³ | DNEL = 72.4mg/m ³ |
| Toluene 108-88-3(25-50) | DNEL = 384mg/m ³ | DNEL = 384mg/m ³ | DNEL = 192mg/m ³ | DNEL = 192mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|------------------|-----------------|------------------|--------------------|-------------------|--------------------|
| | | sediment | | sewage treatment | |
| Tetrahydrofuran | PNEC = 4.32mg/L | PNEC = 23.3mg/kg | PNEC = 21.6mg/L | PNEC = 4.6mg/L | PNEC = 2.13mg/kg |
| 109-99-9 (25-50) | | sediment dw | | | soil dw |
| Toluene | PNEC = 0.68mg/L | PNEC = | PNEC = 0.68mg/L | PNEC = 13.61mg/L | PNEC = 2.89mg/kg |
| 108-88-3 (25-50) | - | 16.39mg/kg | | - | soil dw |
| | | sediment dw | | | |

| Component | Marine water | Marine water sediment | Marine water intermittent | Food chain | Air |
|---------------------------------------|------------------|-------------------------------------|------------------------------|------------------------|-----|
| Tetrahydrofuran 109-99-9 (25-50) | PNEC = 0.432mg/L | PNEC = 2.33mg/kg sediment dw | | PNEC = 67mg/kg food | |
| Toluene 108-88-3(25-50) | PNEC = 0.68mg/L | PNEC = 16.39mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equ Eye Protection | Personal protective equipment Eye Protection Goggles (European standard - EN 166) | | | | |
|--|---|----------------------|-----------------------|---|--|
| Hand Protection | Protective gloves | | | | |
| Glove material Butyl rubber Nitrile rubber Viton (R) Neoprene gloves | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) | |
| Skin and body protection Long sleeved clothing. | | | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits |
| | are exceeded or if irritation or other symptoms are experienced Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN |
| | 141 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid | |
|--|--|--------------------------------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | Dark brown Irritating No data available No data available No data available No information available Highly flammable Not applicable No data available | Estimated Liquid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/water) | No information available °C / °F No data available No data available No information available No data available Reacts violently with water No information available | Method - (based on components) |
| Component Tetrahydrofuran Toluene Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics | log Pow 0.45 2.73 No data available 0.950 Not applicable No data available Not applicable (liquid) | Liquid (Air = 1.0) |
| 9.2. Other information | | |
| Explosive Properties | Vapors may form explosive mixtures | with air |

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | Yes Reacts violently with water |
|---|--|
| 10.2. Chemical stability | May form explosive peroxides. Reacts violently with water. Moisture sensitive. Air sensitive. |
| 10.3. Possibility of hazardous reaction | ons_ |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. Reacts violently with water. |
| 10.4. Conditions to avoid | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Exposure to moist air or water. Exposure to air. Exposure to moisture. |
| 10.5. Incompatible materials | Acids. Water. Alcohols. |

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Chlorine. Magnesium oxides. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Product Information | No acute toxicity information is available for this product |
|---|--|
| (a) acute toxicity; Oral Dermal Inhalation | Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|--------------------|-----------------------------|--------------------|
| Tetrahydrofuran | 1650 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | 180 mg/L (Rat)1 h |
| | | | 53.9 mg/L (Rat)4 h |
| Toluene | > 5000 mg/kg (Rat) | LD50 = 12000 mg/kg (Rabbit) | 26700 ppm (Rat)1 h |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization; Respiratory

No data available No data available

| Component | Test method | Test species | Study result |
|--------------------|-------------------------|--------------|-----------------|
| Tetrahydrofuran | Local Lymph Node Assay | mouse | non-sensitising |
| 109-99-9 (25-50) | OECD Test Guideline 429 | | |

(e) germ cell mutagenicity; No data available

| Component Test method Test species Study result |
|---|
|---|

Skin

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

| Tetrahydrofuran | OECD Test Guideline 476 | in vivo | negative |
|--------------------|---|-----------------------|----------|
| 109-99-9 (25-50) | Gene cell mutation | Mammalian | |
| | OECD Test Guideline 473 Chromosomal aberration assay | in vitro Mammalian | negative |

(f) carcinogenicity;

Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran | | | | Group 2B |

| (g) reproductive toxicity; | Category 2 | | | |
|---|--|---|--|--|
| Component | Test method | Test species / Duration | Study result | |
| Tetrahydrofuran | OECD Test Guideline 416 | Rat | NOAEL = 3,000 ppm | |
| 109-99-9 (25-50) | | 2 Generation | | |
| Reproductive Effects | SUSPECT REPRODUCTIVE HAZARD - CONTAINS MATERIAL WHICH MAY INJURE | | | |
| | UNBORN CHILD (CAUSE BIRTH DEFECTS) (BASED ON ANIMAL DATA). | | | |
| Teratogenicity | Teratogenic effects have occurred in experimental animals. | | | |
| (h) STOT-single exposure; | Category 3 | | | |
| Results / Target organs | Respiratory system, Central ne | ervous system (CNS). | | |
| (i) STOT-repeated exposure; | Category 2 | | | |
| Target Organs | Neuropsychological effects, Eyes, Ears. | | | |
| (j) aspiration hazard; | Category 1 | | | |
| Other Adverse Effects | The toxicological properties have not been fully investigated. | | | |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Possible perforation of stomacl severe swelling, severe damag of high vapor concentrations m nausea and vomiting. Causes of | h or esophagus should be inve le to the delicate tissue and da ay cause symptoms like heada | stigated. Ingestion causes nger of perforation. Inhalation ache, dizziness, tiredness, | |
| 11.2. Information on other hazards | | | | |
| Endocrine Disrupting Properties | Assess endocrine disrupting pr known or suspected endocrine | • | s product does not contain any | |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available. Toxic to aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------------|-----------------------|---------------------|------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h | EC50 48 h 3485 mg/l | |

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

| | Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h | EC50: >10000 mg/L/24h | |
|---------|--|--|--|
| Toluene | 50-70 mg/L LC50 96 h 5-7 mg/L LC50 96 h 15-19 mg/L LC50 96 h 28 mg/L LC50 96 h 12 mg/L LC50 96 h | EC50: = 11.5 mg/L, 48h (Daphnia magna) EC50: 5.46 - 9.83 mg/L, 48h Static (Daphnia magna) | EC50: = 12.5 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata) |

| Component | Microtox | M-Factor |
|-----------|-------------------------|----------|
| Toluene | EC50 = 19.7 mg/L 30 min | |

12.2. Persistence and degradability

| Persistence | • | Reacts violently with water, Persistence is unlikely, based on information available. | | | | |
|----------------------------------|--|---|--|--|--|--|
| Degradability Reacts with water. | | | | | | |
| C | omponent | Degradability | | | | |
| | Toluene | 86% (20d) | | | | |
| 108- | 88-3 (25-50) | | | | | |
| Degradation in sewage | Contains substances known to be hazard | dous to the environment or not degradable in waste | | | | |
| | | | | | | |
| treatment plant | water treatment plants. Reacts violently v | viti water. | | | | |
| 2.3. Bioaccumulative potentia | | s not bioaccumulate due to reaction with water | | | | |
| | | | | | | |
| 2.3. Bioaccumulative potentia | al Bioaccumulation is unlikely; Product does | s not bioaccumulate due to reaction with water | | | | |

12.4. Mobility in soil

Reacts violently with water Is not likely mobile in the environment.

12.5. Results of PBT and vPvB assessment

Reacts violently with water.

12.6. Endocrine disrupting properties **Endocrine Disruptor Information**

| Component | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated Substances |
|-----------------|--|---|
| Tetrahydrofuran | Group III Chemical | |

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

| 13.1. Waste treatment methods | | | | |
|--|--|--|--|--|
| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. | | | |
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition. | | | |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. | | | |

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, Magnesium, chlorocyclohexyl- 3 8 II |
|---|--|
| ADR | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, Magnesium, chlorocyclohexyl- 3 8 II |
| IATA | |
| <u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> Technical Shipping Name <u>14.3. Transport hazard class(es)</u> Subsidiary Hazard Class <u>14.4. Packing group</u> | UN2924 Flammable liquid, corrosive, n.o.s. Tetrahydrofuran, Magnesium, chlorocyclohexyl- 3 8 II |
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| <u>14.7. Maritime transport in bulk</u> according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|------------------------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| Tetrahydrofuran | 109-99-9 | 203-726-8 | - | - | Х | Х | KE-33454 | Х | Х |
| Toluene | 108-88-3 | 203-625-9 | - | - | Х | Х | KE-33936 | Х | Х |
| Magnesium, chlorocyclohexyl- | 931-51-1 | 213-237-1 | - | - | - | Х | - | Х | Х |

Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|------------------------------|----------|------|---|-----|------|------|-------|-------|
| Tetrahydrofuran | 109-99-9 | Х | ACTIVE | Х | - | Х | X | Х |
| Toluene | 108-88-3 | Х | ACTIVE | Х | - | Х | X | Х |
| Magnesium, chlorocyclohexyl- | 931-51-1 | X | ACTIVE | - | Х | - | - | - |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------------------|----------|---|--|---|
| Tetrahydrofuran | 109-99-9 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Toluene | 108-88-3 | - | Use restricted. See entry 48. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details) | - |
| Magnesium, chlorocyclohexyl- | 931-51-1 | - | - 1 | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|---------------------------------|----------|---|--|
| Tetrahydrofuran | 109-99-9 | Not applicable | Not applicable |
| Toluene | 108-88-3 | Not applicable | Not applicable |
| Magnesium, chlorocyclohexyl- | 931-51-1 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

CyclohexyImagnesium chloride, 1.3M solution in THF/toluene

Revision Date 06-Dec-2024

WGK Classification

Water endangering class = 2 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------------------------|---------------------------------------|-------------------------|
| Tetrahydrofuran | WGK1 | |
| Toluene | WGK3 | |
| Magnesium, chlorocyclohexyl- | WGK2 | |

| Component | France - INRS (Tables of occupational diseases) |
|-----------------|--|
| Tetrahydrofuran | Tableaux des maladies professionnelles (TMP) - RG 84 |
| Toluene | Tableaux des maladies professionnelles (TMP) - RG 4bis,RG 84 |

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------------------------|--|---|--|
| Tetrahydrofuran 109-99-9 (25-50) | | Group I | |
| Toluene 108-88-3 (25-50) | Prohibited and Restricted Substances | Group I | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer
- H361d Suspected of damaging the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- EUH014 Reacts violently with water
- EUH019 May form explosive peroxides
- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H315 Causes skin irritation
- H319 Causes serious eye irritation

Legend

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

 CAS - Chemical Abstracts Service
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 ENCS - Japanese Existing and New Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances
 NZIOC - New Zealand Inventory of Chemicals

 WEL - Workplace Exposure Limit
 TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment Cyclohexylmagnesium chloride, 1.3M solution in THF/toluene

| LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration | EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water |
|---|--|
| PBT - Persistent, Bioaccumulative, Toxic | vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from |
| IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code | Ships |
| OECD - Organisation for Economic Co-operation and Development | ATE - Acute Toxicity Estimate |
| BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, | VOC - (Volatile Organic Compound) RTECS |
| | on for mixtures according to Regulation (EC) 1272/2008 [CLP]: |
| Physical hazards On basis of test data | |

SAFETY DATA SHEET

| i nysicai nazai us | |
|-----------------------|--------------------|
| Health Hazards | Calculation method |
| Environmental hazards | Calculation method |
| | |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

| Creation Date | 22-Sep-2009 |
|------------------|-----------------|
| Revision Date | 06-Dec-2024 |
| Revision Summary | Not applicable. |

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet