

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 27-Feb-2023 Revision Date 09-Feb-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Iron(III) chloride, anhydrous

 Cat No. :
 12357

 CAS No
 7705-08-0

 EC No
 231-729-4

 Molecular Formula
 Cl3 Fe

 REACH registration number

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

# **Physical hazards**

Based on available data, the classification criteria are not met

#### Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

#### **Health hazards**

Acute oral toxicityCategory 4 (H302)Skin Corrosion/IrritationCategory 2 (H315)Serious Eye Damage/Eye IrritationCategory 1 (H318)Skin SensitizationCategory 1 (H317)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



## Signal Word

#### **Danger**

#### **Hazard Statements**

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

EUH208 - Contains Nickel dichloride. May produce an allergic reaction

#### **Precautionary Statements**

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Iron(III) chloride	7705-08-0	EEC No. 231-729-4	<100	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

### Iron(III) chloride, anhydrous

Zinc chloride	7646-85-7	EEC No. 231-592-0	0-0.15	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Chromic chloride	10025-73-7	EEC No. 233-038-3	0-0.15	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Met. Corr. 1 (H290) Aquatic Chronic 2 (H411)
Nickel(II) chloride	7718-54-9	EEC No. 231-743-0	0-0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1A (H350i) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Zinc chloride	STOT SE 3 (H335) :: C>=5%	Acute = 10 Chronic = 1	-
Nickel(II) chloride	Skin Irrit. 2 (H315) :: C>=20% Skin Sens. 1 (H317) :: C>=0.01% STOT RE 1 (H372) :: C>=1% STOT RE 2 (H373) :: 0.1% <c<1%< td=""><td>1</td><td>-</td></c<1%<>	1	-

REACH registration number	-
---------------------------	---

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergic skin reaction. Causes severe eye damage. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### 4.3. Indication of any immediate medical attention and special treatment needed

ALFAA12357

Revision Date 09-Feb-2024

#### Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

## 6.2. Environmental precautions

See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Ensure adequate ventilation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

**Technical Rules for Hazardous Substances (TRGS) 510** Storage Class (LGK) (Germany)

Class 13

## 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

List source(s): UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. IRE - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Iron(III) chloride	STEL: 2 mg/m <sup>3</sup> 15 min		
	TWA: 1 mg/m <sup>3</sup> 8 hr		
Zinc chloride	STEL: 2 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8 hr. fume
	TWA: 1 mg/m <sup>3</sup> 8 hr		STEL: 2 mg/m <sup>3</sup> 15 min
Chromic chloride	STEL: 1.5 mg/m <sup>3</sup> 15 min		
	TWA: 0.5 mg/m <sup>3</sup> 8 hr		
Nickel(II) chloride	STEL: 0.3 mg/m <sup>3</sup> 15 min		
	TWA: 0.1 mg/m <sup>3</sup> 8 hr		
	Skin		

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Oral)	Acute effects systemic (Oral)	Chronic effects local (Oral)	Chronic effects systemic (Oral)
Zinc chloride 7646-85-7 ( 0-0.15 )				0.83 mg/kg bw/day

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Zinc chloride 7646-85-7 ( 0-0.15 )				DNEL = 8.3mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Zinc chloride 7646-85-7 ( 0-0.15 )				DNEL = 1mg/m <sup>3</sup>

# **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Zinc chloride	PNEC = 20.6µg/L	PNEC =		PNEC = 100µg/L	PNEC = 35.6 mg/kg
7646-85-7 ( 0-0.15 )		117.8mg/kg			soil dw

#### Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

		sediment dw		
Nickel(II) chloride	PNEC = 0.3136µg/L		PNEC = 3.136µg/L	
7718-54-9 ( 0-0.1 )				

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Zinc chloride 7646-85-7 ( 0-0.15 )	PNEC = 6.1µg/L	PNEC = 56.5mg/kg sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Iron(III) chloride, anhydrous Revision Date 09-Feb-2024

Solid

Solid, powder Solid **Physical State** 

Green Black **Appearance** 

No information available Odor **Odor Threshold** No data available **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** No information available

Flammability (liquid) Not applicable

Flammability (solid, gas) No information available

**Explosion Limits** No data available

**Flash Point** No information available Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available

200 g/l aq.sol. 20°C Hq

Not applicable Solid Viscosity Water Solubility No information available

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Iron(III) chloride -4 Chromic chloride -3

**Vapor Pressure** No data available **Density / Specific Gravity** No data available **Bulk Density** No data available **Vapor Density** Not applicable

Solid

**Particle characteristics** No data available

9.2. Other information

Molecular Formula CI3 Fe Molecular Weight 162.21

**Evaporation Rate** Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

No information available. **Hazardous Polymerization Hazardous Reactions** No information available.

10.4. Conditions to avoid

Exposure to moist air or water.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Revision Date 09-Feb-2024

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal**Based on available data, the classification criteria are not met
Inhalation
Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron(III) chloride	450 mg/kg (Rat)	-	-
	316 mg/kg ( Rat )		
Zinc chloride	350 mg/kg (Rat)	-	LC50 <= 1975 mg/m <sup>3</sup> (Rat) 10
			min
Chromic chloride	LD50 = 440 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	31.5 mg/m³/2h (Mouse)
Nickel(II) chloride	E LD50 = 175 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met

Skin Category 1

Component	Test method	Test species	Study result
Chromic chloride	in vivo	guinea pig	Sensitization
10025-73-7 ( 0-0.15 )	OECD Test Guideline 406		

No information available

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Chromic chloride	OECD Test Guideline 473	in vitro	negative
10025-73-7 ( 0-0.15 )			_

(f) carcinogenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species / Duration	Study result
Chromic chloride	in vivo	Rat	negative
10025-73-7 ( 0-0 15 )			_

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Nickel(II) chloride	Carc Cat. 1A		Cat. 1	Group 1

(	g) reproductive toxicity;	Based on available data, the classification criteria are not met						
	Component	Test method	Test species / Duration	Study result				
Γ	Chromic chloride	OECD Test Guideline 414	mouse	negative				
	10025-73-7 ( 0-0 15 )		17 days					

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Iron(III) chloride, anhydrous Revision Date 09-Feb-2024

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

## **12.1. Toxicity Ecotoxicity effects**

Component Freshwater Fish Water Flea Freshwater Algae Iron(III) chloride LC50: 20.95 - 22.56 mg/L, 96h EC50: = 9.6 mg/L, 48h Static semi-static (Pimephales (Daphnia magna) EC50: = 27.9 mg/L, 48h promelas) LC50: = 20.26 mg/L, 96h (Daphnia magna) semi-static (Lepomis macrochirus) Zinc chloride LC50: 0.4-2.2 mg/L/96h EC50: 0.2 mg/L/48h EC50: 0.027-0.105 mg/L/72h (Cyprinus carpio) LD50 = 57.4 mg/L (96h)Chromic chloride LC50 = 63.3 mg/L (48h)EC50 = 2 mg/L (96h)Rainbow trout Daphnia magna Selenastrum capricornutum EC10 = 0.246 mg/LSalmo gairdneri Nickel(II) chloride LC50: = 6.9 mg/L, 96h static EC50: = 0.51 mg/L, 48h Static EC50: 0.0063 - 0.0125 mg/L, (Cyprinus carpio) (Daphnia magna) 96h static (Pseudokirchneriella LC50: = 1.3 mg/L, 96h EC50: = 6.68 mg/L, 48h subcapitata) semi-static (Cyprinus carpio) (Daphnia magna) EC50: = 0.66 mg/L, 72hLC50: > 100 mg/L, 96h static (Pseudokirchneriella subcapitata) (Brachydanio rerio) LC50: 2.83 - 5.99 mg/L, 96h static (Poecilia reticulata) LC50: 29.76 - 43.57 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 9.65 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 25 mg/L, 96h flow-through (Pimephales promelas) LC50: 2.02 - 6.88 mg/L, 96h static (Pimephales promelas) LC50: 1.9 - 4 mg/L, 96h (Pimephales promelas) LC50: 6.63 - 9.15 mg/L, 96h static (Oncorhynchus mykiss) LC50: 6.7 - 9.7 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 2.02 - 6.88 mg/L, 96h static (Lepomis macrochirus) LC50: 18.1 - 25.5 mg/L, 96h flow-through (Lepomis

#### Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

|--|

Component	Microtox	M-Factor
Zinc chloride		Acute = 10
		Chronic = 1
Chromic chloride	EC50 = 256 mg/L	
Nickel(II) chloride		1

12.2. Persistence and degradability No information available

No information available Persistence is unlikely.

Persistence Degradability

Not relevant for inorganic substances.

12.3. Bioaccumulative potential Bi

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Iron(III) chloride	-4	2756 - 9622 dimensionless
Zinc chloride		16000 dimensionless
Chromic chloride	-3	No data available

**12.4. Mobility in soil**No information available

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Solutions with low pH-value

must be neutralized before discharge.

# **SECTION 14: TRANSPORT INFORMATION**

Iron(III) chloride, anhydrous Revision Date 09-Feb-2024

#### IMDG/IMO

**14.1. UN number** UN1773

14.2. UN proper shipping name FERRIC CHLORIDE, ANHYDROUS

14.3. Transport hazard class(es) 8 14.4. Packing group III

## ADR

**14.1. UN number** UN1773

14.2. UN proper shipping name FERRIC CHLORIDE, ANHYDROUS

14.3. Transport hazard class(es) 8 14.4. Packing group III

## <u>IATA</u>

**14.1. UN number** UN1773

14.2. UN proper shipping name FERRIC CHLORIDE, ANHYDROUS

14.3. Transport hazard class(es) 8 14.4. Packing group 8

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Iron(III) chloride	7705-08-0	231-729-4	ı	ı	X	X	KE-21134	X	X
Zinc chloride	7646-85-7	231-592-0	ı	-	X	X	KE-35535	X	X
Chromic chloride	10025-73-7	233-038-3	-	-	X	Χ	KE-06017	X	X
Nickel(II) chloride	7718-54-9	231-743-0	-	-	X	X	KE-25837	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Iron(III) chloride	7705-08-0	X	ACTIVE	X	-	X	Х	Х
Zinc chloride	7646-85-7	X	ACTIVE	Х	-	Х	Х	Х
Chromic chloride	10025-73-7	X	ACTIVE	Х	-	Х	Х	Х
Nickel(II) chloride	7718-54-9	Х	ACTIVE	Х	-	Х	Х	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
		-	Substances	Substances of Very High

## Iron(III) chloride, anhydrous

Revision Date 09-Feb-2024

			Concern (SVHC)
Iron(III) chloride	7705-08-0		-
Zinc chloride	7646-85-7	- Use restricted. Se 75. (see link for rest details)	
Chromic chloride	10025-73-7		-
Nickel(II) chloride	7718-54-9	- Use restricted. Se 28. (see link for restricted. Se 30. (see link for restricted. Se 30. (see link for restricted. Se 75. (see link for restricted. Se 75. (see link for restricted. Se 10.	riction se item riction se item riction section section

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Iron(III) chloride	7705-08-0	Not applicable	Not applicable
Zinc chloride	7646-85-7	Not applicable	Not applicable
Chromic chloride	10025-73-7	Not applicable	Not applicable
Nickel(II) chloride	7718-54-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

# **National Regulations**

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Iron(III) chloride	WGK1	
Zinc chloride	WGK3	
Chromic chloride	WGK1	
Nickel(II) chloride	WGK3	

Component	France - INRS (Tables of occupational diseases)

Nickel(II) chloride Tableaux des maladies professionnelles (TMP) - RG 37.RG 37bis

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H350i - May cause cancer by inhalation

H290 - May be corrosive to metals

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

# Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent. Bioaccumulative. Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Ships

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

https://echa.europa.eu/information-on-chemicals

## **Training Advice**

## Iron(III) chloride, anhydrous Revision Date 09-Feb-2024

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

**Creation Date** 27-Feb-2023 **Revision Date** 09-Feb-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**